



PEPFAR

U.S. President's Emergency Plan for AIDS Relief

INTERVENTIONS WITH MEN: Mozambique

Presenter: Dra. Rosa Marlene Manjane Cuco, National Director for Public Health

Core Strategies for Reaching Men Will be Rapidly Scaled-up in Districts with Highest Burden of Unmet Need

National Male Engagement Strategy

Male-friendly services

- Comprehensive disease screening in male outreach programs
- Male-focused clinics incorporating topics of interest to men
- Extended hours in select sites

Promoting New Social Norms


- Facilitation of community dialogues (“Men-for-men”), engagement of community & religious leaders to promote changes in social norms

Communication & Advocacy

- Mobilization of men through male champion & community leaders to improve uptake of services

50% of Unmet Need for Men is Found in 20 Districts

59 Districts Prioritized for Male Engagement in FY18-FY19



Names and boundaries are not necessarily authoritative

CASE FINDING IN MEN

- Index case identification through community and health facilities
- Peer referral and testing for MSM
- Male congregate testing
- PICT optimization focalized in:
 - Signal and symptoms (e.g. TB, STI) at primary care Health Facilities
 - Enhanced **routine testing in large Hospitals (Central, rural, district)** - In patient and emergency rooms)
- Self-testing (for partners of MSM and male congregated settings police and costumer officers)

Targeting Index Case Testing at Scale Based on FY18 Q1 Data


Province	Adult Contacts Positive	Adult Contacts Tested	Index Cases	Adult Contacts per IC	Yield	Positives per IC
Cidade De Maputo	1775	7391	5742	1.3	24%	0.31
Gaza	1716	8491	5585	1.5	20%	0.31
Maputo	1500	7905	4888	1.6	19%	0.31
Tete	463	2356	1828	1.3	20%	0.25
Sofala	1335	3247	5779	0.6	41%	0.23
Niassa	250	490	1155	0.4	51%	0.22
Manica	590	2118	4835	0.4	28%	0.12
Zambezia	750	2642	12516	0.2	28%	0.06
Cabo Delgado	157	3743	3039	1.2	4%	0.05
Inhambane	114	461	4601	0.1	25%	0.02
Nampula	80	239	6086	0.0	33%	0.01
Grand Total	8730	39083	56054	0.7	22%	0.16

Finding First-Time Male Testers Through Congregate Setting Testing

Month	HIV+ Men Diagnosed	Men Tested	% Yield	Among positives, % first time testers
Dec, 2017	186	1799	10%	82%
Jan, 2018	189	1969	10%	91%
Feb, 2018	254	2720	9%	91%
TOTAL	629	6488	10%	89%

- Newly funded in FY18
- 4 teams developed methodology in 4 central districts of Zambezia
 - Roll-out to total of 16 districts in Zambezia in FY18
- Approach
 - Venue mapping
 - In Quelimane, docks, military recruitment center, formal and informal markets
- Scale to 2 additional provinces in COP18


Adult Males Diagnosed with HIV in Quelimane, Zambezia--December, 2017*



*December data estimated as Q1 divided by 3 for all modalities except male congregate testing

Community-Based Self Testing: Reaching Under-Served Men


1 Under-served sex partners of MSM:




2 Uniformed Men:

Assisted HIVST at the workplace:
Police stations, customs officers

COP18 Self Testing Targets, by Population



Best Practices Identified from Sites with Rapid Increase in Number of Men Started on Treatment



Number of Men started on treatment increased by 34% in Sofala and 76% In Zambezia, between FY17 Q1 and FY18 Q1



PEPFAR

U.S. President's Emergency Plan for AIDS Relief

Obrigada!!!